



Stalwart Safety

ANSI Cut Level 5 HPPE-Stainless Steel Nitrile Foam Coated Glove

Application

Assembly Line Production, Construction, Masonry, Metal Stamping, Glass Handling, Material Handling, Recycling, Automotive Manufacturing, and many other material handling applications requiring high levels of cut and abrasion resistance.

Description

- HPPE-stainless steel composite yarn provides high cut and abrasion levels
- Seamless knit construction fully protects hands while maintaining comfort and dexterity
- Black nitrile foam coating provides comfort and dexterity
- Open knit back allows for breathability and comfort

Product Code: 460 NF

Technical Data

- ANSI Cut Level: A5
- ASTM F2992-15: 2322g
- EN388 Abrasion: 4
- EN388 Cut: 5
- EN388 Tear: 4
- EN388 Puncture: 4

Construction

- Shell: HPPE stainless steel composite blend, nylon yarn, 13 gauge knit
- Coating: Nitrile foam
- Wrist: Integrated knit wrist
- Thumb: Ambidextrous knit with right & left hand formed coating

Care Guidelines

Launder in warm water (40°C/104°F) using mild detergent, tumble dry at low temperature (60°C/140°F).



Packaging

- 12 pair/polybag
- 72 pair/carton

Sizes

Size	6	7	8	9	10	11	12
Fit	X-Small	Small	Medium	Large	X-Large	2XL	3XL



STALWART SAFETY | 1010 University Ave. W. Windsor ON | www.stalwartsafety.com
Phone: 844.945.5050 | Fax: 519.968.9707 | insidesales@stalwartsafety.com