



Stalwart Safety

ANSI Cut Level A5 Flame Resistant Polyurethane Coated Glove

Application

Power plant operations, oil & gas industry applications, pipeline, utilities, petrochemical and other applications requiring a high degree of cut resistance, flame resistance and dexterity.

Description

- Inherently flame-resistant materials provide protection even after multiple launderings
- Seamless knit construction fully protects hands while maintaining comfort and dexterity
- Aramid based yarn provides cut and flame resistance, increasing overall protection
- Provides ANSI 105-16 Level 4 Classification for Ignition and Burning Resistance and provides HRC/ARC Level 2 Arc Flash Protection

Product Code: 420FR

Technical Data

- ANSI Cut Level: A5
- ASTM F2992-15: 2683g
- EN388 Abrasion: 5
- EN388 Cut: 5
- EN388 Tear: 4
- EN388 Puncture: 3
- ARC/HRC Cat 2
- ASTM F1358-08 Level 4

Construction

- Shell: 13 gauge knit, aramid composite blend
- Coating: Flame resistant polyurethane
- Wrist: Integrated knit wrist, Velcro closure
- Thumb: Ambidextrous, right/left formed due to coating

Care Guidelines

Launder in warm water (40°C/104°F) using mild detergent, tumble dry at low temperature (60°C/140°F). Do not use bleach or other oxidizers.

Packaging

- 12 pair/polybag
- 72 pair/carton



Sizes

Size	6	7	8	9	10	11
Fit	X-Small	Small	Medium	Large	X-Large	2XL



STALWART SAFETY | 1010 University Ave. W. Windsor ON | www.stalwartsafety.com
Phone: 844.945.5050 | Fax: 519.968.9707 | insidesales@stalwartsafety.com